




BELLISLIMO

GCR 100 27 22 E31 EC



Model	BelliSimo 100
Real Volume	80 L
Rated power	1200/2200 W
Heating time Δt 45K (15 - 60°C)**80°C	2:41 h:min
Annual consumption of electricity AEC	1260 kWh
Energy class	B
Height	1.279 m
Width	0,490 m
Depth	0,280 m



Diameter	880 mm
Mounting	Universal
Load profile	M
V40	103 L
T _{out of the box}	69 °C
MAX40	120 L



Information

BelliSlimo

GCR 100 27 22 E31 EC

- COPPER HEATING ELEMENT
- WORK ON DEMAND MODE: BelliSlimo thinks for you and calculates by itself the time required for your water to heat up just on time
- ENERGY EFFICIENT: In the highest possible in its range - Energy class B
- REVERSIBLE: Can be mounted vertically or horizontally
- ECO SMART MODE: Self-training and self-management
- DOUBLE TANK: Two water tanks with separate heating elements
- QUICK FIRST SHOWER
- VACATION MODE
- BOOST FUNCTION
- REVERSE COUNTER: Counts down until the electric water heaters reaches the desired temperature

Serie information

BelliSlimo

GCR 100 27 22 E31 EC

BelliSlimo sets new industry standards with its modern Italian design and latest technologies. With a slim silhouette of 28 cm in depth, two tanks and two separated stainless steel heating elements, it offers a first shower in less than 40 minutes.

- COPPER HEATING ELEMENT
- WORK ON DEMAND MODE: BelliSlimo thinks for you and calculates by itself the time required for your water to heat up just on time
- ENERGY EFFICIENT: In the highest possible in its range - Energy class B
- REVERSIBLE: Can be mounted vertically or horizontally
- ECO SMART MODE: ensures optimum management for low energy consumption obtaining the highest possible in its range Energy Class B
- DOUBLE TANK: Two water tanks with separate heating elements
- QUICK FIRST SHOWER
- VACATION MODE
- BOOST FUNCTION
- REVERSE COUNTER: Counts down until the electric water heaters reaches the desired temperature